

Inc Group	Inc Type	Response
ALARMS	AFA INDUSTRIAL OR COMMERCIAL <i>Incident Grade – 3</i> <i>Initial response – No</i>	1 x PA or site specific PDA
ALARMS	AFA RETAIL or PUBLIC ASSEMBLY <i>Incident Grade – 3</i> <i>Initial response – No</i>	1 x PA or site specific PDA
ALARMS	AFA OTHER BUILDINGS <i>Incident Grade – 3</i> <i>Initial response – No</i>	1 x PA or site specific PDA
ALARMS	AFA RESIDENTIAL <i>Incident Grade – 3</i> <i>Initial response – Yes</i>	1 x PA (Daytime) 2 x PA (Night time)
ALARMS	AFA RESIDENTIAL HIGH-RISE <i>Incident Grade – 3</i> <i>Initial response – Yes</i>	<u>Highrise (Day & Night)</u> 2 x PA 1 x AERIAL
ALARMS	AFA CAREHOME <i>Incident Grade – 3</i> <i>Initial response – Yes</i>	1 x PA (Daytime) 2 x PA (Night time)
ALARMS	AFA DOMESTIC <i>Incident Grade – 3</i> <i>Initial response – Yes</i>	1 x PA (Daytime) 2 x PA (Night time)
ALARMS	GAS ALARMS <i>Incident Grade – 3</i> <i>Initial Response - Yes</i>	2 x PA 1 x FAO as AIM
ALARMS	CARBON MONOXIDE ALARM ACTIVATION <i>Incident Grade – 3</i> <i>Initial Response – Yes</i>	1 x PA 1 x FAO as AIM

ALARMS	DOMESTIC SMOKE LOW BATTERY <i>Incident Grade – 5</i> <i>Initial Response - No</i>	
ALARMS	FRS PROPERTY ALARM <i>Incident Grade – 5</i> <i>Initial Response – No</i>	
ALARMS	TEST <i>Incident Grade – 5</i> <i>Initial Response – No</i>	

Inc Group	Inc Type	Response
UNLAWFUL ACT /PUBLIC ORDER	IED CONFIRMED <i>Incident Grade – 2</i> <i>Initial Response - Yes</i>	*1 x NILO 1 x TIV (ROV) 1 x MASAT (if available) 2 x PA 1 x TRV + EM10P1 1 x GC as IC
UNLAWFUL ACT /PUBLIC ORDER	IED SUSPECTED <i>Incident Grade – 3</i> <i>Initial Response - Yes</i>	*1x NILO 1 x TIV (ROV) 1 x MASAT (if available) 1 x PA 1 x GC as IC
UNLAWFUL ACT /PUBLIC ORDER	EXPLOSION <i>Incident Grade – 2</i> <i>Initial Response - Yes</i>	2 x PA 1 x TIV (ROV) UAS (Drone Team) 1 x NILO 1 x FAO 1 x HMEPA *1 x FIO
UNLAWFUL ACT /PUBLIC ORDER	EXPLOSION IED <i>Incident Grade – 1</i> <i>Initial Response - Yes</i>	1 x NILO 1 x TIV (ROV) 1 x MASAT (if available) 2 x PA 1 x TRV + EM10P1 UAS (Drone Team) 1 x GC as IC 2 x SC
UNLAWFUL ACT /PUBLIC ORDER	CBRN(E) WHITE POWDER <i>Incident Grade –2</i> <i>Initial Response - Yes</i>	1 X MASAT (If available) 1 x CBRN(E) Tactical Commander
UNLAWFUL ACT /PUBLIC ORDER	CBRN(E) Level 1 Initial Operational Response	*2 x PA 1 x TIV (ROV) 1 x MASAT (if available)

	<p><i>Incident Grade – 2</i></p> <p><i>Initial Response - Yes</i></p>	<p>1x FAO as IC/On scene Commander</p> <p>1 x CBRN(E) Tactical Commander to Police HQ or scene. (If to Police/Fire HQ send GC to scene)</p> <p>1 x NILO (CBRN(E) Tactical commander determine whether NILO to attend Police HQ or scene)</p> <p>1 x HMEPA</p> <p><i>If DIM requested by CBRN(E) Commander</i></p> <p>1 x DIMMM Unit 1 x DIM vehicle + Equip 1 x DIM support team 2 x DIM Advisors</p>
<p>UNLAWFUL ACT /PUBLIC ORDER</p>	<p>CBRN(E) Level Two</p> <p><i>Incident Grade – 1</i></p> <p><i>Initial Response - Yes</i></p>	<p>*2 x PA</p> <p>*1 x TIV (ROV)</p> <p>1 x MASAT (if available)</p> <p>**1 x MDMM Unit (1 x MDU – 12T8/M027 4 x MDMM PA's (To include 12P2 2 x non MDMM PA's)</p> <p>2 x MDMM Units via NR</p> <p>*1 x JCU + support PA to FCP</p> <p>UAS (Drone Team)</p> <p>**2 x DIMMM Unit 2 x DIM vehicle + Equip 2 x DIM support team 4 x DIM Advisors</p> <p>1 x Tactical CBRNE as IC 1 x NILO as IC support 1 x HMEPA as Mass Decontamination(MD)</p>

		<p>Sector Commander (SC)</p> <p>1 x FAO as command support SC</p> <p>1 x HMEPA to scene</p>
<p>UNLAWFUL ACT /PUBLIC ORDER</p>	<p>CBRN(E) Level Three/Four</p> <p><i>Incident Grade – 1</i></p> <p><i>Initial Response - Yes</i></p>	<p>1 x MDMM Unit</p> <p>(1 x MDU – 12T8/M027)</p> <p>4 x MDMM PA's (To include 12P2)</p> <p>2 x non MDMM PA's</p> <p>1 x CBRN(E) Tactical Commander</p> <p>1 x NILO as liaison</p>
<p>UNLAWFUL ACT /PUBLIC ORDER</p>	<p>ACID AND CORROSIVE MATERIAL ATTACKS</p> <p><i>Incident Grade – 1</i></p> <p><i>Initial Response - Yes</i></p>	<p>2 x PA</p> <p>1 x FAO</p> <p>1 x HMEPA</p>
<p>UNLAWFUL ACT /PUBLIC ORDER</p>	<p>FIREARMS INCIDENTS</p> <p><i>Incident Grade –2</i></p> <p><i>Initial Response - Yes</i></p>	<p>1 x NILO</p> <p>1 X MASAT (if available)</p> <p>1 x SEFT - Specialist Entry Fire-fighting Team</p> <p>1 x TIV (ROV)</p>
<p>UNLAWFUL ACT /PUBLIC ORDER</p>	<p>INTER AGENCY LIAISON</p> <p><i>Incident Grade –2</i></p> <p><i>Initial Response – Yes</i></p>	<p>1 x NILO</p>
<p>UNLAWFUL ACT /PUBLIC ORDER</p>	<p>MALICIOUS CALL</p> <p><i>Incident Grade – 5</i></p> <p><i>Initial Response – No</i></p>	<p>-</p>
<p>UNLAWFUL ACT /PUBLIC ORDER</p>	<p>CIVIL DISTURBANCE</p> <p><i>Incident Grade – 3</i></p> <p><i>Initial Response - Yes</i></p>	<p>2 x PA</p> <p>1 x TIV</p> <p>1 x SEFT - Specialist Entry Fire-fighting Team (if available)</p> <p>1 x MASAT (if available)</p>

		<p>*1 x NILO 1 x FAO as IC</p>
<p>UNLAWFUL ACT /PUBLIC ORDER</p>	<p>CIVIL DISTURBANCE - MAJOR</p> <p><i>Incident Grade – 3</i> <i>Initial Response - Yes</i></p>	<p>4 x PA</p> <p>1 x TIV</p> <p>1 x SEFT - Specialist Entry Fire-fighting Team (if available)</p> <p>1 x MASAT (if available)</p> <p>1 x NILO</p> <p>1 x GC as on scene commander/designated mobilising officer</p> <p>1 x AC as IC at Silver Command</p> <p>At designated fire station in close proximity to the FCMP. (Determined by OOD and Fire Control)</p> <p>2 x PA</p>
<p>UNLAWFUL ACT /PUBLIC ORDER</p>	<p>CIVIL DISTURBANCE – PRISON/SECURE ACCOMMODATION</p> <p><i>Incident Grade – 3</i> <i>Initial Response - Yes</i></p>	<p><u>No Fire/Prison Silver</u></p> <p>1 x GC</p> <p>1 x NILO</p> <p><u>Fire –</u> SEFT if available</p> <p>As per Fire secure accommodation response</p>

Inc Group	Inc Type	Response
FIRE	1-3 Pumps	1-3 x PA
FIRE	4-6 Pumps	4 – 6 x PA *1 x JCU (5+ PA) + command support PA 1 x TIV (L1 not L2) *1 x Welfare pod (5+ PA) *1 x OSU Pod (4+ PA) 1 x FAO as IC 1 x SC (additional) 1 x HMEPA 1 x GC as AIM if IC is SC **FIO
FIRE	7-11 Pumps	7 – 11 x PA 1 x JCU + command support PA 1 x TIV (L1 not L2) 1 x OSU 1 x Welfare pod UAS (Drone Team) 1 x SC (additional) 1 x FAO as command support Sector Commander 1 x HMEPA 1 x PLO 1 x GC (as IC) (9+ PA - AC as AIM) *FIO
	12+ Pumps	12+ x PA 1 x JCU + command support PA 1 x TIV (L1 not L2) UAS (Drone Team) 1 x OSU 1 x Welfare pod 2 x SC (additional) 1 x FAO as command support sector commander 1 x HMEPA 1 x PLO 1 x GC 1 x AC as IC *FIO
FIRE	PERSONS REPORTED <i>Incident Grade – 1</i>	3 x PA (minimum) *1 x TIV 1 x FAO as AIM

	<p><i>Initial Response - Yes</i></p>	<p>*****FIO</p> <p>Serious injuries/ fatalities</p> <p>2 x FIO **1 x OOD **1 x AOD ***1 x PLO</p> <p>*****1 x JCU + command support PA 1 x Community Outreach Vehicle (COV)</p>
FIRE	<p>PERSONS ON FIRE</p> <p><i>Incident Grade – 1</i> <i>Initial Response - Yes</i></p>	<p>1 x PA (Inc Flexi PA) 1 x FAO as AIM *FIO</p>
FIRE	<p>FIRE INDUSTRIAL OR COMMERCIAL</p> <p><i>Incident Grade – 2</i> <i>Initial Response - Yes</i></p>	<p>2 x PA 1 x TIV 1 x FAO as AIM **FIO</p>
FIRE	<p>FIRE RETAIL OR PUBLIC ASSEMBLY</p> <p><i>Incident Grade – 2</i> <i>Initial Response - Yes</i></p>	<p>2 x PA 1 x TIV 1 x FAO as AIM **FIO</p>
FIRE	<p>FIRE RESIDENTIAL</p> <p><i>Incident Grade – 2</i> <i>Initial Response - Yes</i></p>	<p><u>No Persons Reported:</u></p> <p>2 PA **1 x TIV 1 x FAO as AIM ***FIO</p> <p><u>Persons Reported or Hospitals or Stately homes</u></p> <p>3 PA **1 x TIV (UHP unit) 1 x FAO as AIM ***FIO</p>
FIRE	<p>FIRE DOMESTIC</p> <p><i>Incident Grade – 2</i></p>	<p><u>No Persons Reported:</u></p> <p>2 PA **1 x TIV</p>

	<i>Initial Response - Yes</i>	1 x FAO as AIM ***FIO <u>Persons Reported or HMO's</u> *3 PA **1 x TIV (UHP unit) 1 x FAO as AIM ***FIO
FIRE	FIRE HIGH RISE/TALL BUILDING <i>Incident Grade – 2</i> <i>Initial Response - Yes</i>	5 PA 1 x AERIAL 1 x TIV 1 x JCU + Command support PA 1 x GC as IC 2 x SC (Additional) 1 x FAO as Command Support Sector Commander UAS (Drone Team) *1 x SC/GC to control for FSG ***FIO
FIRE	FIRE SECURE ACCOMMODATION <i>Incident Grade – 2</i> <i>Initial Response - Yes</i>	<u>Minor</u> 2 x PA **1 x TIV 1 x FAO as AIM <u>Major incident</u> 4 X PA 1 x TIV UAS (Drone Team) 1 x GC as IC 1 x SC 1 x NILO
FIRE	FIRE CARE HOME <i>Incident Grade – 2</i> <i>Initial Response - Yes</i>	3 x PA **1 x TIV 1 x FAO as AIM ***FIO
FIRE	FIRE AGRICULTURAL <i>Incident Grade – 2</i> <i>Initial Response - Yes</i>	2 x PA 1 x TIV 1 x AWRU 1 x FAO as AIM

		**FIO
FIRE	FIRE SILO OR GRAIN DRYER <i>Incident Grade – 2</i> <i>Initial Response - Yes</i>	2 x PA 1 x TIV 1 x FAO as AIM **FIO
FIRE	FIRE OTHER BUILDINGS <i>Incident Grade – 2</i> <i>Initial Response - Yes</i>	1 x PA *FIO
FIRE	FIRE THATCHED <i>Incident Grade – 2</i> <i>Initial Response - Yes</i>	4 x PA (*1 x PA (UHP)) 1 x TIV 1 x AERIAL 1 x GC as IC 2 x Additional for command roles **FIO
FIRE	FIRE CHIMNEY <i>Incident Grade – 3</i> <i>Initial Response – Yes</i>	1 x PA (Inc Flexi PA)
FIRE	FIRE CHIMNEY THATCHED <i>Incident Grade – 3</i> <i>Initial Response - Yes</i>	2 x PA 1 x FAO as AIM
FIRE	FIRE DERELICT BUILDINGS <i>Incident Grade – 3</i> <i>Initial Response - Yes</i>	2 x PA **1 x TIV 1 x FAO as AIM ***FIO
FIRE	FIRE RAILWAY EMBANKMENT <i>Incident Grade – 3</i>	Track side 2 x PA

	<i>Initial Response - Yes</i>	Not Trackside 1xPA
FIRE	FIRE CARAVAN OR CAMPING <i>Incident Grade – 2</i> <i>Initial Response - Yes</i>	2 x PA 1 x FAO as AIM *FIO
FIRE	FIRE NON DOMESTIC ELECTRICAL INSTALLATIONS <i>Incident Grade – 3</i> <i>Initial Response - Yes</i>	2 x PA 1 x FAO as AIM
FIRE	FIRE DOMESTIC ELECTRICAL INSTALLATIONS <i>Incident Grade – 2</i> <i>Initial Response - Yes</i>	2 x PA 1 x FAO as AIM
FIRE	FIRE SOLAR PANEL <i>Incident Grade – 2</i> <i>Initial Response - Yes</i>	2 x PA *1 x Aerial 1 x FAO as AIM **FIO
FIRE	FIRE ROAD FURNITURE <i>Incident Grade – 4</i> <i>Initial Response - Yes</i>	1 x PA (Inc Flexi PA)
FIRE	FIRE IN THE OPEN – LARGE <i>Incident Grade – 3</i> <i>Initial Response - Yes</i>	2 x PA 1 x FAO as AIM

FIRE	FOREST WILDFIRE <i>Incident Grade – 3</i> <i>Initial Response - Yes</i>	2 x PA 1 x FAO as AIM
FIRE	FIRE IN THE OPEN – SMALL <i>Incident Grade – 4</i> <i>Initial Response – Yes</i>	1 x PA (Inc Flexi PA)
FIRE	FIRE BELOW GROUND <i>Incident Grade – 3</i> <i>Initial Response - Yes</i>	3 x PA *(1 x PA (UHP)) 1 x TIV 1 x FAO as AIM **FIO
FIRE	FIRE NOW OUT <i>Incident Grade – 5</i> <i>Initial Response - Yes</i>	<u>Within 2 hours</u> 1 x PA (Inc Flexi PA) (Full PDA to hospitals and 1 x FAO) <u>Over 2 hours</u> See 'Late Fire Call incident type'
FIRE	LATE FIRE CALL <i>Incident Grade – 5</i> <i>Initial Response - Yes</i>	1 x PA (Inc Flexi PA) (Full PDA to hospitals and 1 x FAO)
FIRE	FIRE UNKNOWN ORIGIN <i>Incident Grade – 3</i> <i>Initial Response - Yes</i>	1 x PA (MINIMUM)
FIRE	WASTE SITE RECYCLING/ LANDFILL <i>Incident Grade – 3</i>	1 x TIV 2 x PA 1 x WrC or water Pod 1 x FAO as AIM



Initial Response - Yes

--

Inc Group	Inc Type	Response
TRANSPORT	AIRCRAFT INCIDENT LARGE <i>Incident Grade – 1</i> <i>Initial Response - Yes</i>	5 x PA 1 x TIV 1 x TRV + EM10P1 1 x WrC 1x Foam pod + EM11P1 1 x JCU + command support PA USAR UAS (Drone Team) 1 x GM as IC 1 x NILO 2 x SC (Additional) 1 x FAO as Command Support 1 x HMEPA *1 x FIO
TRANSPORT	AIRCRAFT INCIDENT SMALL <i>Incident Grade – 1</i> <i>Initial Response - Yes</i>	2 x PA *1 x TIV 1 x TRV + EM10P1 1x WrC/water pod 1 x FAO as MO **1 x FIO
TRANSPORT	AIRCRAFT INCIDENT MILITARY <i>Incident Grade – 1</i> <i>Initial Response - Yes</i>	3 PA 1 x TIV (ROV) 1 x TRV + EM10P1 1 x WrC 1 x Foam pod+ EM11P1 UAS (Drone Team) 1 x FAO as AIM 1 x NILO 1 x HMEPA *1 x FIO
TRANSPORT	AIRCRAFT TAKE OFF/LANDING <i>Incident Grade – 5</i> <i>Initial Response – No</i>	1x PA 1x FAO as AIM

TRANSPORT	AIRCRAFT IN DISTRESS <i>Incident Grade – 3</i> <i>Initial Response - Yes</i>	PDA for relevant aircraft incident type on standby on standby
TRANSPORT	BOAT RESCUE <i>Incident Grade – 2</i> <i>Initial Response - Yes</i>	2 x PA 1 x AWRU 1 x TRV 2 x BRU (28B1 + 28B2) 1 x FAO as IC **1 x WIM Officer
TRANSPORT	BOAT FIRE <i>Incident Grade – 3</i> <i>Initial Response - Yes</i>	2 x PA 1 x FAO as AIM *1 x FIO
TRANSPORT	BOAT STABILITY <i>Incident Grade – 3</i> <i>Initial Response - Yes</i>	1 x AWRU 1 x TRV 2 x BRU (28B1 + 28B2) 1 x FAO as AIM **1 x WIM Officer
TRANSPORT	FREIGHT TRAIN ON FIRE <i>Incident Grade – 2</i> <i>Initial Response - Yes</i>	4 x PA 1 x TIV 1 x TRV + EM10P1 1 x WrC 1 x OSU UAS (Drone Team) 1 x FAO as IC 1 x HMEPA 2 x SC (Additional) *1 x FIO Or Site Specific PDA for incidents in Tunnel
TRANSPORT	PASSENGER TRAIN ON FIRE	3 x PA

	<p><i>Incident Grade – 2</i></p> <p><i>Initial Response - Yes</i></p>	<p>1 x TIV</p> <p>1 x WrC</p> <p>1 x TRV + EM10P1</p> <p>UAS (Drone Team)</p> <p>1 x FAO as IC</p> <p>*1 x FIO</p> <p>Or Site Specific PDA for incidents in Tunnel</p>
TRANSPORT	<p>RAILWAY INCIDENT</p> <p><i>Incident Grade – 1</i></p> <p><i>Initial Response - Yes</i></p>	<p>4 x PA</p> <p>1 x TRV + EM10P1</p> <p>UAS (Drone Team)</p> <p>1 x GC as IC</p> <p>1 x NILO</p> <p>2 x SC (Additional)</p> <p>Or Site Specific PDA for incidents in Tunnel</p>
TRANSPORT	<p>(RTC) ROAD TRAFFIC COLLISION VEHICLE FIRE</p> <p><i>Incident Grade – 3</i></p> <p><i>Initial Response – Yes</i></p>	<p>As per relevant vehicle fire response</p>
TRANSPORT	<p>RTC PERSONS TRAPPED LARGE VEHICLE</p> <p><i>Incident Grade –1</i></p> <p><i>Initial Response – Yes</i></p>	<p>1 x IIV or Flexi Crewing PA</p> <p>2 x PA</p> <p>1 x TRV + *EM10P1</p> <p>1 x FAO as AIM</p>
TRANSPORT	<p>RTC PERSONS TRAPPED SMALL VEHICLE</p> <p><i>Incident Grade –1</i></p> <p><i>Initial Response – Yes</i></p>	<p>Single Lane RTC's</p> <p>1 x IIV or Flexi Crewing PA</p> <p>*2 x PA</p> <p>1 x FAO as AIM</p> <p>**Multi Lane RTC's</p> <p>1 x IIV or TIV or Flexi Crewing PA</p> <p>*2 x PA</p> <p>1 x FAO as AIM</p>

TRANSPORT	RTC FRS VEHICLES	As per relevant RTC response
TRANSPORT	RTC MAKE VEHICLES SAFE <i>Incident Grade –4</i> <i>Initial Response – Yes</i>	1 x PA (Inc Flexi PA) or *1 x IIV or 1 x TIV
TRANSPORT	WASH DOWN ROAD <i>Incident Grade –5</i> <i>Initial Response - No</i>	(1 x PA (Inc Flexi PA and TIV)) 1 x FAO as AIM
TRANSPORT	VEHICLE LEAKING FUEL <i>Incident Grade –2</i> <i>Initial Response – Yes</i>	1 x PA (Inc Flexi PA)
TRANSPORT	FIRE VEHICLE LARGE <i>Incident Grade – 3</i> <i>Initial Response - Yes</i>	2 x PA *1 x TIV Multi-storey Car parks: 2 x PA 1 x AERIAL 1 x TIV 1 x FAO Basement/ underground unloading bay: 2 x PA 1 x TIV
TRANSPORT	FIRE VEHICLE SMALL <i>Incident Grade – 3</i> <i>Initial Response - Yes</i>	1 x PA Multi-Lane/Major Trunk Road/Motorway or 2 x PA *Multi-storey Car parks: 2 x PA

		<p>1 x AERIAL 1 x TIV 1 x FAO</p> <p>Basement/ underground car parks: 2 x PA 1 x TIV</p>
<p>TRANSPORT</p>	<p>FIRE VEHICLE LPG FUELLED</p> <p><i>Incident Grade – 2</i> <i>Initial Response - Yes</i></p>	<p>2 x PA 1 x FAO as AIM</p> <p>Multi-storey Car parks: 2 x PA 1 x AERIAL 1 x TIV 1 x FAO</p> <p>Basement/ underground car parks: 2 x PA 1 x TIV</p>

Inc Group	Inc Type	Response
HAZMAT	GAS RELEASED OR LEAKS <i>Incident Grade – 2</i> <i>Initial Response - Yes</i>	2 x PA 1 x FAO as AIM
HAZMAT	HAZMAT MINOR <i>Incident Grade – 4</i> <i>Initial Response - Yes</i>	2 x PA 1 x OSU 1 x FAO as AIM
HAZMAT	HAZMAT MAJOR <i>Incident Grade – 2</i> <i>Initial Response - Yes</i>	*4 x PA 1 x TIV (ROV) 1 x Decon team PA (**12P2) ***1 x OSU 1 x JCU + Command Support PA UAS (Drone Team) 1 x GC as IC 1 x SC (Additional) 1 x SC as command support sector commander 1 x FAO as Decontamination Sector Commander 1 x HMEPA (scene) 1 x HMEPA (Remote)
HAZMAT	SMELL OR FUMES <i>Incident Grade – 4</i> <i>Initial Response - Yes</i>	1 x PA

HAZMAT	TESTING/ANALYSIS of ACID/CORROSIVE MATERIAL Incident Grade – 1 Initial Response – Yes	1 x HMEPA (scene)
HAZMAT	OIL POLLUTION <i>Incident Grade –2</i> <i>Initial Response - Yes</i>	1x PA 1 x OSU 1 x FAO as AIM
HAZMAT	PIPELINE <i>Incident Grade –2</i> <i>Initial Response - Yes</i>	3 x PA UAS (Drone Team) 1 x FAO as AIM 1 x HMEPA *FIO
HAZMAT	LPG INVOLVED <i>Incident Grade – 3</i> <i>Initial Response - Yes</i>	2 x PA 1 x FAO as AIM **1 x HMEPA (if multiple cylinders involved)
HAZMAT	RADIOACTIVE MATERIALS <i>Incident Grade –3</i> <i>Initial Response - Yes</i>	*4 x PA 1 x Decon team PA (**12P2) 1 x MDU 1 x OSU 1 x DIM unit (+ DIM adviser(s)) 1 x FAO as safety sector commander 1 x FAO as command Support sector commander 1 x FAO as Decontamination Sector Commander 1 x GC as IC 1 x HMEPA (scene) 1 x HMEPA (control)
HAZMAT	CYLINDERS INVOLVED <i>Incident Grade – 3</i> <i>Initial Response - Yes</i>	2 x PA 1 x FAO as AIM **1 x HMEPA (if multiple cylinders involved)

HAZMAT	ACETYLENE INVOLVED <i>Incident Grade – 2</i> <i>Initial Response - Yes</i>	2 x PA 1 x TIV (ROV) UAS (Drone Team) 1 x FAO as AIM 1 x HMEPA

Inc Group	Inc Type	Response
HUMANITARIAN/SPECIAL SERVICE	ADVICE GIVEN <i>Incident Grade –5</i> <i>Initial Response - No</i>	None
HUMANITARIAN/SPECIAL SERVICE	ASSIST OTHER AGENCY EMERGENCY <i>Incident Grade –3</i> <i>Initial Response - Yes</i>	PDA dependant on request
HUMANITARIAN/SPECIAL SERVICE	ASSIST OTHER AGENCY – Unmanned Aerial System (Drone) <i>Incident Grade –3</i> <i>Initial Response - Yes</i>	2 x UAS Pilots
HUMANITARIAN/SPECIAL SERVICE	ATTEMPTED SUICIDE <i>Incident Grade –3</i> <i>Initial Response - Yes</i>	1 x PA (to standby) **1 x TIV 1 x FAO as AIM 1 x NILO
HUMANITARIAN/SPECIAL SERVICE	ASSIST OTHER AGENCY NON EMERGENCY <i>Incident Grade –5</i> <i>Initial Response - Yes</i>	*1 x PA **1 x FAO as AIM
HUMANITARIAN/SPECIAL SERVICE	CO-RESPONDER <i>Incident Grade –1</i> <i>Initial Response - Yes</i>	1 x PA / CFR Vehicle / IIV

<p>HUMANITARIAN/SPECIAL SERVICE</p>	<p>DANGEROUS STRUCTURE</p> <p><i>Incident Grade –5</i></p> <p><i>Initial Response - Yes</i></p>	<p>1 x FAO as AIM</p> <p><u>Threat to life or serious injury</u></p> <p>1 PA</p>
<p>HUMANITARIAN/SPECIAL SERVICE</p>	<p>FRS COMPLAINT OR ISSUE</p> <p><i>Incident Grade –5</i></p> <p><i>Initial Response – No</i></p>	
<p>HUMANITARIAN/SPECIAL SERVICE</p>	<p>FIRE SAFETY ISSUE</p> <p><i>Incident Grade –5</i></p> <p><i>Initial Response - No</i></p>	
<p>HUMANITARIAN/SPECIAL SERVICE</p>	<p>INFORM OTHER AGENCY</p> <p><i>Incident Grade –5</i></p> <p><i>Initial Response - No</i></p>	<p>None</p>
<p>HUMANITARIAN/SPECIAL SERVICE</p>	<p>PERSONS LOCKED OUT/IN</p> <p><i>Incident Grade –5</i></p> <p><i>Initial Response - No</i></p>	<p>1 x PA, Flexi PA or IIV or TIV</p>
<p>HUMANITARIAN/SPECIAL SERVICE</p>	<p>FRS SUPPLY SERVICES</p> <p><i>Incident Grade –5</i></p> <p><i>Initial Response - No</i></p>	
<p>HUMANITARIAN/SPECIAL SERVICE</p>	<p>FLOODING IN OPEN</p> <p>-Spate conditions.</p> <p>-Flood warnings issued.</p>	<p><u>Non-life risk</u></p> <p>1 x FAO as AIM</p> <p><u>Life risk</u></p>

	<p><i>Incident Grade –4</i> <i>Initial Response - Y</i></p>	<p>Rescue from Water</p> <p><u>Flood Rescue Response - Local</u></p> <p>2 x PA 1 x A/WRU 2 x BRU (28B1 + 28B2) 1 x TRV UAS (Drone Team) 1 x GC as IC 1 X FAO 2 x WIM Officers</p>
<p>HUMANITARIAN/SPECIAL SERVICE</p>	<p>FLOODING IN BUILDING</p> <p><i>Incident Grade –3</i> <i>Initial Response - Yes</i></p>	<p>Non-life risk</p> <p>1 x FAO as AIM</p> <p>Electrics affected</p> <p>1 x PA *1 x O2W1</p> <p>Life risk</p> <p>*PDA for the risk</p>

Inc Group	Inc Type	Response
RESCUE	ANIMAL RESCUE LARGE <i>Incident Grade –5</i> <i>Initial Response – Yes</i>	1 x PA 1 x AWRU 1 x FAO 2 x ARO (1 x ARO as Safety)
RESCUE	ANIMAL RESCUE SMALL <i>Incident Grade –5</i> <i>Initial Response – Yes</i>	*1 x PA or AERIAL 1 x AWRU 1 x FAO (ARO)
RESCUE	PERSONS SHUT IN LIFT <i>Incident Grade –5</i> <i>Initial Response – Yes</i>	1 x PA
RESCUE	RESCUE FROM DEPTH <i>Incident Grade –1</i> <i>Initial Response – Yes</i>	2 x PA 1 x TRV + EM10P1 1 x FAO as AIM
RESCUE	RESCUE FROM MACHINERY <i>Incident Grade –1</i> <i>Initial Response – Yes</i>	2 x PA 1 x TRV + EM10P1 1 x FAO as AIM

RESCUE	RESCUE FROM COLLAPSED STRUCTURE <i>Incident Grade –1</i> <i>Initial Response – Yes</i>	4 x PA 1 x TRV + EM10P1 UAS (Drone Team) 1 x FAO as IC 1 x GC as AIM
RESCUE	RELEASE - Emergency <i>Incident Grade – 1</i> <i>Initial Response – Yes</i>	2 x PA 1 x TRV + EM10P1 1 x FAO as AIM
RESCUE	RELEASE <i>Incident Grade – 4</i> <i>Initial Response – Yes</i>	(*1 x PA)
RESCUE	RESCUE FROM HEIGHT <i>Incident Grade –1</i> <i>Initial Response – Yes</i>	*2 x PA 1 x AERIAL (Level 2 WAH) 1 x FAO as AIM *Technical Rope Rescue Team/USAR
RESCUE	RESCUE FROM UNSTABLE SURFACE <i>Incident Grade –1</i> <i>Initial Response – Yes</i>	2 x PA 1 x A/WRU 1 x TRV 1 x Mereway BRU 1 x FAO as AIM
RESCUE	RESCUE FROM WATER <i>Incident Grade –1</i> <i>Initial Response – Yes</i>	2 x PA 1 x A/WRU 1 x TRV 2 x BRU (28B1 + 28B2) 1 x FAO as IC *1 x WIM Officer

Inc Group	Inc Type	Response
SPECIAL MOBILISING ARRANGEMENTS	ABANDONED CALL	1 x PA (MINIMUM)
SPECIAL MOBILISING ARRANGEMENTS	MAJOR INCIDENT	10 x PA 1 x JCU+ command support PA 1 x OSU 1 x TRV + EM10P1 UAS (Drone Team) 1 x Welfare Pod 1 x GC as IC 1 x NILO 2 x SC (Additional) 1 x Duty AC as AIM 1 x GC Incident Room 1 x SC Incident Room support
SPECIAL MOBILISING ARRANGEMENTS	MAJOR INCIDENT	PDA Dependant on current allocated resource and incident type
SPECIAL MOBILISING ARRANGEMENTS	'FIREFIGHTER EMERGENCY'	6 x Additional PA 1 x JCU command + support PA 1 x TRV + EM10P1 1 x OSU 1 x GC as IC 1 x SC as Command Support Sector Commander 2 x SC Additionally 1 x AC as AIM
SPECIAL MOBILISING ARRANGEMENTS	'BA EMERGENCY'	2 x Additional PA *1 x OSU 1 x Additional FAO

AERIAL	Aerial Rescue Pump
A/WRU	Animal/Water Rescue Unit
BRU	Boat Rescue Unit
CPA	Compact Pumping Appliance with UHP (No GTS or 13.5m)
TIV	Tactical Intervention Vehicle (UHP)
COV	Community Outreach Vehicle
DIMMM Unit	Detection, Identification and Monitoring Mobilising Model Unit
GP Pod	General Purpose Pod
HVP	High Volume Pump – Hydro Sub and Hose modules
JCU	Joint Command Unit
IIV	Initial Intervention Vehicle
MDU	Mass Decontamination Unit
MDSU	Mass Decontamination Support Unit
MDMM Unit	Mass Decontamination Mobilising Model Unit
MASAT	Multi-agency Initial Assessment Team
PA	Pumping Appliance (Term to reference standard and Compact appliance)
ROV	Remote Operated Vehicle
SEFT	Specialist Entry Firefighting Team
TRV	Technical Rescue Vehicle
UKOS	UK Operational Support
USAR	Urban Search and Rescue
UAS	Unmanned Aerial System
WrC	Water Carrier

AC	Area Commander (Area Manager)
AIM	Active Incident Monitoring Officer
AIO	Accident Investigation Officer
AOD	Assistant Officer of the Day
ARO	Animal Rescue Officer
BC	Brigade Commander (Brigade Manager)
CFO	Chief Fire Officer
CC	Crew Commander (Crew Manager)
CTA	UHP Tactical Advisor
DIMA	Detection, Identification and Monitoring Adviser
EFAD	Emergency Fire Appliance Driver
FAO	First Attendance Officer
FIO	Fire Investigation Officer
FPO	Fire Protection Officer
GC	Group Commander (Group Manager)
GS	Gold Support
HMEPA	Hazardous Materials and Environmental Protection Advisor
IC	Incident Commander
NILO	National Inter-Agency Liaison Officer
OiC	Officer in Charge
OOD	Officer of the Day
OPP	Op Plato Commander
PLO	Press Liaison Officer
RIM	Remote Incident Monitoring Officer
SC	Station Commander (Station Manager)
UASP	Unmanned Aerial System Pilot
WC	Watch Commander (Watch Manager)
WIM	Water Incident Manager
WRT	Water Rescue Technician